



MID TOWER

OMNI SERIES

ALL-IN-ONE VIDEO APPLIANCES

Seneca Omni Series is designed to accommodate specific scenarios where camera footage is both viewed and recorded simultaneously. When recording and viewing separately is not possible, due to budget or special requirements, the Omni Series workhorse appliances are ready to pick up the slack.

The Omni series is ideal for standalone security systems, remote locations or as part of enterprise multi-site installations. Designed with balanced settings and enterprise components, the Seneca Omni Series is up to the task of dual workload environments. Our sizing tools will help guide you into the correct platform, guaranteeing the best possible solution.

From first boot, Seneca's Maestro utility streamlines the multi-use setup making integration smooth and simple. And finally, once set up, Seneca's SBAR advanced recovery tool allows you to take a snapshot of your setup to ensure a fast recovery should problems arise.



1U RACKMOUNT

THE SENECA DIFFERENCE



Maestro gets your optimized system up and running in minutes instead of hours. We channeled years of value engineering into an intuitive dashboard that eliminates hundreds of keystrokes. You don't even need an internet connection or data transfer from external drives.

KEY FEATURES

- Designed for dual workload
- Balanced components for recording and viewing
- Maestro optimization tools streamline setup
- Advanced recovery tools for incremental backups
- 15% faster than leading competitor solutions
- Up to 96TB Storage



OMNI SERIES

SPECIFICATIONS

SYSTEM	OMNI STANDARD	OMNI PRO	OMNI CORPORATE	OMNI ENTERPRISE
Processor	10th generation Intel® Pentium Processor	10th generation Intel® Core™ i5 Processor	10th generation Intel® Core™ i7 K Series Processor	Dual 2nd Gen. Intel® Xeon® Scalable Processor Silver 4215R
OS	Windows 10 IoT Enterprise	Windows 10 IoT Enterprise	Windows 10 IoT Enterprise	Windows 10 IoT Enterprise
Memory	16GB DDR4 2666MHz	16GB DDR4 2666MHz	Up to 32GB DDR4 2666MHz	Up to 96GB DDR4 3222MHz
OS Storage	256GB SSD	256GB SSD	256GB SSD	Up to 2x 256GB SSD (RAID 1)
Data Storage	Up to 16TB	Up to 16TB	Up to 32TB	Up to 96TB
Graphics	Up to 1x Nvidia Quadro T400	Nvidia Quadro T600 or T1000	Nvidia Quadro T600 or T1000	Up to 4x Nvidia Quadro T1000, P2000 or RTX4000
Connectivity	1x Onboard GbE 1x 1GbE LAN Port 2	1x Onboard GbE 1x 1GbE LAN Port 2	1U Rackmount: 1x 1GbE LAN Port 1x 10GbE LAN Port Tower: 2 x 1GbE	2U Rackmount: Up to 4x 1GbE LAN Ports
Displays Supported	Up to 2	Up to 4	Up to 4	Up to 16
Warranty	3-Year Global Next-Day On-Site Warranty	3-Year Global Next-Day On-Site Warranty	5-Year Global Next-Day On-Site Warranty Standard	5-Year Next Business Day On-Site Warranty Standard Keep Your Hard Drive Option

MECHANICAL

Form Factor	Small Form Factor Tower	Small Form Factor Tower	1U Rackmount / Mid Tower Chassis	2U Rackmount
Power Supply	Single 200W 80+ Bronze	Single 200W 80+ Bronze	1U Rackmount: 550W 80PLUS, Platinum Certified Power Supply Tower: 550W 80PLUS, Gold Certified Power Supply	1400W 80PLUS Gold Certified Power Supply
Drive Bays	1 x 3.5" Internal	1 x 3.5" Internal	1U Rackmount: 2 x 3.5" Hot-swap Tower: 2 x 3.5" Internal	6 x 3.5" Hot-swap
Front Ports	2 x USB 2.0	2 x USB 2.0	1U Rackmount: Universal Audio Jack 1x USB 3.1 Type-C, 2 x USB 3.1 Type-A Tower: Universal Audio Jack, 2x USB 3.2 (Gen2 10G) 1x USB 3.2 (Type-C 10G), USB 3.2 Type-A (5G)	1x USB Mgmt / iDRAC 1x USB 3.2, 2 x USB 2.0, VGA
Rear I/O Ports	4 x USB 3.2 Type-A (5 GB) 2 x USB 2.0	4 x USB 3.2 Type-A (5 GB) 2 x USB 2.0	1U Rackmount: 2 x USB 3.1 Type C (iGFX DisplayPort) Remote Power Switch Connector 1GbE RJ-45 10GbE RJ-45 Tower: 2 x Display Port (1.4) 2 x PS2 2 x USB 2.0 2 x USB 3.2 (Type-A 10G) 2 x USB 3.2 (Type-A 5G)	iDRAC Network Connector Serial Port VGA 2 x USB 3.2 4 x 1GbE
Dimensions	Width: 3.65" (92.6 mm), Height: 11.42" (290 mm), Depth: 11.49" (292 mm)	Width: 3.65" (92.6 mm), Height: 11.42" (290 mm), Depth: 11.49" (292 mm)	1U Rackmount: Width: 18.98" (482 mm), Height: 1.68" (42.8 mm), Depth: 23.19" (589.1 mm) (w/ bezel) Tower: Width 6.95" (176.6 mm), Depth: 13.19" (345 mm), Height: 13.58" (335 mm)	Width: 16.45" (417.9 mm), Height: 3.48" (88.5 mm), Depth: 20.40" (518.2 mm)
Weight	12 lbs. (5.4kg)	12 lbs. (5.4kg)	1U Rackmount: 21 lbs. (9.5 kg) Tower: 23.37 lbs. (10.60 kg)	63.05 lbs. (28.6 kg)



— POWERED BY —
DELL Technologies

Specifications are subject to change, contact your account representative for current configuration.
Intel, the Intel logo, Xeon, and Xeon Inside are trademarks or registered trademarks of Intel Corporation in the U.S. and/or other countries.